OBION COUNTY BOARD of EDUCATION

FURNITURE PACKAGE

OBION COUNTY CENTRAL HIGH SCHOOL SOUTH FULTON HIGH SCHOOL VOCATIONAL ADDITION SPECIFICATION PACKAGE

The Obion County Board of Education is now accepting bids for classroom furniture needed at OCCHS and SFHS vocational additions. All bids are to include delivery and set-up. **Bids will be awarded by line item**. Complete specifications are as follows:

BIDDER REPRESENTATION

Each bidder by submitting their bid represents that:

- 1. They have read and understand the project documents and their bid is based in accordance thereof.
- 2. A representative of the bidder has visited the site and familiarized themselves with the local conditions under which the work is to be performed.
- 3. Their bid is based upon the materials, systems and equipment described in the project documents without exception.

DEFINITIONS

- 1. A bid is a complete and properly signed proposal to do the work or designed portion thereof for the sum stipulated therein supported by data called for by the bidding documents.
- 2. Base bid is the sum stated in the bid for which the bidder offers to perform the work described as the base, to which work may be added or deducted for the sums stated in the alternate bids.
- 3. An alternate bid is an amount stated in the bid to be added to or deducted from the amount of the base bid if the corresponding change in project scope, materials, or methods of construction described in the bidding documents is accepted.
- 4. A price is an amount stated in the bid as a price per unit of measurements for materials or services as described in the contract documents.

PROCEEDURES

- 1. Bids are to be **submitted in duplicate**
- 2. Bidder may list any voluntary alternatives on a separate bid form.
- All copies of the bid shall be enclosed in a sealed envelope. The envelope shall be addressed to the owner, and identified with the words "BID ENCLOSED, FURNITURE OCCHS AND SFHS VOCATIONAL" plainly written on the face
- 4. Bids are to be filled in by typewriter or manually in ink.
- 5. Bids are to be submitted to:

OBION COUNTY BOARD of EDUCATION 316 SOUTH THIRD STREET UNION CITY, TENN. 38261

- 6. Bids are to be received by March 29, 2011 at 11 a.m.
- 7. Bids will be opened immediately thereafter, at the above location.
- 8. The owner retains the right to reject any or all bids,
- 9. It is the intent of the owner to award this project to the lowest reasonable bidder, provided the bid has been submitted in accordance with the requirements of this document, is judged to be reasonable, and does not exceed the funds available for this project.
- 10. Bids are to be signed by persons legally authorized to bind the bidder to a contract.

INSURANCE

The successful bidder shall purchase and maintain insurance for the protection from claims which may arise out of or the result from the contractors operation as part of this project, whether such operations be by the contractor or by any Subcontractor or by anyone directly or indirectly employed by any of them, or by anyone for whose acts any of them may be liable.

- 1. Claims under workers or workmen's compensation, disability benefit or other similar employee benefit act.
- 2. Claims for damages because of bodily injury, occupational sickness or disease, or death of the contractors employees
- 3.Claims for damages because of bodily injury, sickness or disease or death of person other than the contractors employees
- 4. Claims for damages insured by usual personal injury liability coverage which are sustained by any person as a result of a offence directly or indirectly related to the employment of such persons by the contractor or by any other person
- 5. Claims for damages because of injury to or destruction of tangible property, including loss of use resulting therefrom.
- 6. Claims for damages because of bodily injury or death of any person or property damage arising out of the ownership, maintenance or use of any motor vehicle.

The insurance required above shall be written for not less than any limits of liability required by law.

Certificates of insurance shall be submitted to the owner prior to commencement of the work. These Certificates shall contain a provision that coverages afforded under the policies will not be canceled until at least thirty days prior written notice has been given to the owner.

GENERAL CONDITIONS

OWNER: The owner is the person or entity identified as such in the owner-contractor agreement and is referred to throughout as if singular in number and masculine in gender. The term owner means the owner or his authorized representative.

The owner shall furnish information or services under the owners control with reasonable promptness to avoid delay in the orderly progress of the work.

If the contractor fails to correct defective work or persistently fails to carry out the work in accordance with the contract documents, the owner, by written order signed personally or by an agent of owner, may order the contractor to stop work, or any portion thereof, until cause of such order has been eliminated.

If the contractor defaults, or neglects to carry out the work in accordance with the contract documents and fails within seven days after receipt of written notice from the owner to commence and continue such corrections, the owner may make good such differences. In such case an appropriate change order shall be issued deducting from payments then and thereafter due the contractor the cost of correcting such deficiencies.

The contractor is the person or entity identified as such in the owner-contractor agreement and is referred to throughout the contract documents as if singular in number and masculine in gender. The term contractor means the contractor or his authorized representative.

Unless otherwise provided in the contract documents, the contractor shall provide and pay for all labor, materials, equipment, tools, construction equipment and machinery, transportation, and other facilities and services necessary for the proper execution and completion of work

The contractor shall at all times enforce strict discipline and good order among his employee's, in particular while children are present.

The contractor warrants to the owner that all materials and equipment furnished under this contract will be new unless otherwise specified, and that all work will be of good quality. The warranty period shall be for one year from the acceptance of the completed work. All extended warranties offered by the manufacturer shall be effective until such limits expressed by the manufacturer have expired.

The contractor shall pay all sales, consumer, use, and other similar taxes for the work or portions thereof.

The contractor, upon being awarded the contract, shall submit for the owners information an estimated progress schedule for the work.

The contractor, upon acceptance of his proposal, will honor this project completion date of _____. If the contractor is unable to comply with this completion date, without proper documented justification to the owners satisfaction, he will forfeit payments not to exceed 1% (one percent) of the total proposal per day.

The contractor shall be responsible for all cutting, fitting, or patching that may be required to complete the work or to make its several parts fit together properly.

PROTECTION OF PERSONS AND PROPERTY

The successful contractor shall be responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with the work. The contractor shall take all reasonable precautions for the safety of, and shall provide all reasonable protection to prevent damage, injury, or loss to:

- 1. All employee's on the work
- 2. All the work, all materials, and equipment to be incorporated therein.
- 3. All other employee's, students, and guest at the job site.
- 4. Other property at the site or adjacent thereto.

QUALITY ASSURANCE

The contractor shall have the experience of at least three (3) acceptable jobs in the United States within the past five (5) years. This work shall be in locations and conditions similar to those at Obion County Central High School.

The contractor shall employee only qualified and experienced workers skill in the work required for this project.

WARRANTY

The Contractor shall submit its Manufacturer's Warranty which guarantees the use and wear of the furniture for its intended uses for a period of time as specified within, commencing with the date of final acceptance.

The warranty coverage shall not be pro-rated or limited to the amount of usage.

The warranty submitted must have the following characteristics:

- 1. Must warrant materials and workmanship
- 2. Must warrant that the materials installed meet or exceed the product specifications
- 3. Must have provisions to either make a cash refund or repair or replace such portions of the installed equipment materials that are no longer serviceable, to maintain a serviceable structure.
- 4. Must be a warranty from a single source covering workmanship and all self-manufactured or procured materials.
- 5. Guarantee the availability of replacement material for the equipment installed for the full warranty period.

CLEANUP

Refuse and debris accumulating from work required as part of this project shall be regularly removed from the job site by the contractor and before final acceptance of this project by the owner.

SUBMITTALS

Submit with bid:

- 1. Manufacturers data certifying compliance with these specifications
- 2. Submit to the owner for approval a copy of the quality assurance information as described in the QUALITY ASSURANCE section.
- 3. Certified list of existing installations, including owner representative and telephone number, attesting the compliance with quality assurance information.

Shop drawings shall be prepared to scale and contain all pertinent information regarding installation. These drawings shall be submitted to the owner for approval prior to the manufacturing and shipment of materials. Include in these drawings details for individual footings and foundations..

GENERAL

The owner shall supply necessary water and electricity for installation. The owner shall permit the use of toilet and wash-up facilities.

QUALITY STANDARDS OF INSTALLATION

Upon completion of project, representatives of the Owner, Contractor, and Manufacturer prior to acceptance by the owner shall inspect the installation

The use of "Brand names, Trademarks, and Professional Services" is to establish a minimum standard of quality.

PAYMENT OF CONTRACT

The owner upon final acceptance of the project by the owner will pay a payment of 100% of the contract amount to the contractor

No partial payments for labor or material will be made on this project.

OUALIFICATIONS:

"Contractor shall comply with Public Chapter 587 of 2007, as codified in Tennessee Code Annotated Section 49-5-413, which requires all contractors to facilitate a criminal history records check conducted by the Tennessee Bureau of Investigation and the Federal Bureau of Investigation for each employee prior to permitting the employee to have contact with students or enter school grounds when students are present."

SCOPE OF WORK

Work included in this section shall consist of furnishing all labor, tools, equipment supplies, transportation, sub-contract labor, taxes, equipment, and materials necessary to install in place all furniture as indicated in these specifications.

Location of work Obion County Central High School 528 North Hwy 51 Troy, TN 38260

South Fulton High School 1302 John C Jones Parkway South Fulton, TN 38257

Any questions or clarifications required in regard to this project may be submitted to:

Phil Graham Maintenance Dept. Obion County Schools (731) 536-4226

Bid Item#1 Desk-Wood

60x30 double pedestal desk; Pedestal drawers include 3 box drawers in left pedestal; 1box/1file in right pedestal; Pedestals are locking; Top is constructed of high pressure laminate on particle board substrate; HON 10573NN

Alternate Bid Item#1 Desk-Steel

60x30 double pedestal w/ Center Drawer. Pedestal drawers include 3 box drawers in left pedestal; 1box/1file in right pedestal; Self edge trim in charcoal around desk top; Center drawer is central locking; high sided file drawers w/100% extension and follower block must be standard; chrome finish legs; Scholar Craft TD3060

Item#2 Student Desk

Chair back and seat will be a minimum 5/8" Melsur Hard Plastic. Seat height is 17.5". Base legs are constructed of 14 gauge steel. Crossover leg construction provides extra strength. Gooseneck back support is constructed of 14 gauge steel. Full tablet arm is supported by 14-guage double-tube construction plus a third support attached at chair back. Desk top should be solid plastic 14x20x26. Steel glides. 10 year warranty on frame; 2 year warranty on all other parts. Reference: Scholar Craft Model# 487SP

<u>Item#3 Vertical File</u>

four drawer letter size filing cabinet; 25" deep; high sidewalls; follower block; cam lock; HON 514P

Item#4 Storage Cabinet

5" solid steel caster stems and 1-1/8" molded polymer wheels;48"Wx66"H; hanger rod;5 opening shelf unit; recessed handle; 16 gauge steel shelving; PVC Rounded Edges;; ICI 4866M

Alternate Item#4 Storage Cabinet-Steel

All steel constructed cabinets; 3 point latching; hanger rod; 5 opening shelf unit; black; 66x36x18 dimensions; Tennsco 6618

Item#5 Classroom Chairs w/ book basket

Chair back and seat will be Melsur Hard Plastic. Seat height is 17.5". Legs are constructed of 16 gauge steel. Book basket constructed of 16 gauge steel. Crossover leg construction provides strength. Gooseneck back support is constructed of 14 gauge steel. Wire book basket is constructed of 16 gauge steel and designed to prevent students from using as footrest; 10 year warranty on frame; 2 year warranty on all other parts. Scholar Craft Model" 187BR

Item#6 Pedestal Lectern

12.5"d x 23"w x 46"h; Storage compartment with 3" high opening; Steel construction; Smith System 00460

Item#7 Classroom Computer Table

72x30 table; table top must be moisture sealed with Perfect Edging,.04" HPDL laminate and .020" vinyl backer sheet; minimum 1-1/8" top thickness; Four Independent Legs-legs are constructed of 14 gauge steel and are swagged; (2) 3" grommets standard; Poly wire management system spans table width; Color to be chosen from Wilson Art laminates; Krueger RD3072

Item#8 Classroom Chairs

Chair back and seat will be Melsur Hard Plastic. Seat height is 17.5". Legs are constructed of 16 gauge steel. Crossover leg construction provides stack ability and strength. Gooseneck back support is constructed of 14 gauge steel. 10 year warranty on frame; 2 year warranty on all other parts. Scholar Craft Model# 187

Alternate Item#8 Classroom Chairs w/Bookbasket

Chair back and seat will be Melsur Hard Plastic. Seat height is 17.5". Legs are constructed of 16 gauge steel. Book basket constructed of 16 gauge steel. Crossover leg construction provides strength. Gooseneck back support is constructed of 14 gauge steel. Wire book basket is constructed of 16 gauge steel and designed to prevent students from using as footrest; 10 year warranty on frame; 2 year warranty on all other parts. Scholar Craft Model# 187BR

Item#9 Teacher Chair

Floating contoured back; fully upholstered seat and back; pneumatic height adjustment; swivel/tilt mechanism; tension know and tilt lock; loop arms factory assembled; Cava 3475

Item#10 Bookshelf

5 shelf bookcase; 34w X 12d X 71h; shelves adjust on 1/2" increments; paint must match desk and filing cabinet; welded and setup; HON S72ABC

Item#11 Wastebasket

10.25 gallon capacity; beige; Rubbermaid 295700BGE

Item#12 Pencil Sharpener

must sharpen standard size pencil; Deluxe wall mount; 2 year warranty; all steel construction; bid price includes installation on wall; *Hunt 1041*

Item#13 Projection Screen

Wall mount screen; matte white; nylon bearings; flush mount not acceptable, 6" extension brackets must be included; bid price includes installation on wall;60x60; *DaLite Model B/No.6*

Item #14 Teacher Computer Table

60x30 table; table top must be moisture sealed with Perfect Edging,.04" HPDL laminate and .020" vinyl backer sheet; minimum 1-1/8" top thickness; adjustable on 1" centers T base legs will utilize full 14 gauge steel under support; (1) 3" grommets standard; Poly wire management system spans table width; Color to be chosen from Wilson Art laminates; Krueger RD3060

Item#15 Trophy Case

Each section is no smaller than 48"x72"x18" individual floor display cases; (2) full width shelves are adjustable; must include cornice with light fixture; downstairs sections should be joined together to form one continuous case; each bidder responsible for measurements;

<u>Item#16 Computer Station for Office</u>

Unit to match other office furniture; grommet for wire management; keyboard ready; 18"x36" 25M-P Mahogany on Walnut; Inwood CRP1836

Item#17 Coat Tree

20"x20"x 64"; 6 coat knobs; 6 hooks; 3 umbrella stations; All steel construction with enamel coating; Inwood CO1266

Item#18 L Shape Desk

"L" Grouping consisting of: Single pedestal desk with center drawer. Arm slide, file drawer and box drawer. Executive return has one box and one file drawer. 25M-P Mahogany on Walnut; Inwood M1200L-EH

Item#19 Bookshelf

60" height bookshelf constructed of solid wood substrates; three adjustable shelves on one inch centers; Inwood BC1260

Item#20 Lateral File

Two drawer lateral file must have letter, legal and EDP capacity with no tip locking system; 37.5x20x29 Mahogany finish on Walnut; 10 year warranty;20x66x29; *Inwood* 2FD2137

Item#21 Executive Chair

Executive Mid back w/ pneumatic, swivel, knee tilt, tilt tension, tilt lock, upholstered arms; Mahogany w/Blue (YY)fabric; Lifetime warranty; KI T101

Item#22 Guest Chair

Traditional Chair; Fully upholstered arms with tufted fabric; Krueger T103

Item 23 Steel Cabinet

All steel constructed cabinet; 3 point latching; 4 opening adjustable shelf unit; black; 36x36x18 dimensions; Tennsco 3618

Item#24 Interior Mat

All weather construction; molded rubber borders; polypropylene mat surface; mat pile carpeting molded and supported by solid rubber cleats; crush proof; 4'x 6'; *Sentry 4X6*

Item#25 Exterior Mat

All weather construction; molded rubber borders; 100% Nitrile rubber scrape surface; rubber cleated; 4"x 6" x1/8"; *Sentinal 4x6*

Item#26 Trash Can for Shop Areas

45 gallon open top; textured black finish; 11.5" x11.5" waste opening; Trophy 9774BL

Item#27 Trash Can for Hallways

38 gallon with lid; Textured black finish; opening on all four sides 13" wx 6" h; Trophy 9467BL

Item #28 Trash Can for Bathrooms and Laundry

38 gallon with lid; Textured gray finish; top opening; Trophy 9457GR

Item#29 Work Table

36"x72"; 1-1/2" thick top with high pressure laminate top and high pressure laminate backer board. Four independent legs; Legs are constructed of 14 gauge steel and are swagged; Finish is nickel plated chrome; KI 3672F

General Specifications for Computer Labs Items#30 and 31

Construction

Worksurfaces Horizontal worksurfaces shall be constructed of 1-1/8" thick 45# density particleboard with .030" thick high-pressure laminate and .030" thick high-pressure backing sheet. The worksurfaces shall be available in rectangular, square corner, and transitional corner shapes. Overall thickness shall be 1½".

Two edge options are available. Postformed Laminate: the front edge shall be postformed with an elliptical shape. The rear edge and two sides shall be covered with matching flat .024" PVC edge banding.

Urethane Edge: worksurfaces shall have an elliptical front edge and the remaining edges ¼" molded urethane.

Worksurfaces shall be bolted to leg assemblies using ½-20 torx head (tamper-resistant) bolts through threaded steel inserts in the underside of the surface.

Worksurfaces shall have standard 6-3/4" x 3-3/8" (o.d.) ABS grommets; two on 24"-72" rectangular as well as square corner worksurfaces (located in the rear corners) and optional four grommets on 60", 66", and 72" worksurfaces (located one right and one left,

and the remaining two centered). On the transitional corner worksurfaces, the grommet shall be located on the left and right rear side. Grommets have a flip-up receding door and are identical in size to the PowerUp module to allow for retrofitting of PowerUp at a later date.

Worksurfaces shall include a 14-gauge steel splice plate to mount to the underside of the user side of the worksurface to keep two adjacent surfaces level.

Square Corner Worksurfaces Square corner work surfaces shall be designed for use with matching depth adjacent work surfaces. Tops shall be 1-1/4" solid core with high-pressure laminate surface. All four edges shall be matching flat PVC self-edging. Work surfaces shall have two grommets positioned along the left and right corner. PowerUp modules shall not be available on the square corner work surface.

Transitional Corner Worksurfaces Transitional corner worksurfaces shall be the same basic construction as the square corner worksurfaces, except the front edge (user side) shall be post-formed laminate. Transitional corner worksurfaces shall have two grommets with openings for wire management positioned along the left and right back corners.

Dual Door Beam The beam shall have lay-in access to data cables from the back side (instructor side) of the table and access to the power and data cables from the front (student side). Both doors can be opened at one time if necessary, without any adjustment or reconfiguration required. Both doors are constructed of .06" thick PVC dual-durometer extrusion and are joined by ultra-sonic welding and screwed to the communications beam. Doors shall have a continuous flexible PVC hinge allowing both doors to pivot at the bottom. The door shall allow all cords to be stored inside the beam and out of sight.

The electrical trough on powered beams shall be constructed of 16-gauge formed steel finished in Graphite Dark colored powder coating. Each electrical trough shall have openings on the backside covered by a 16-gauge steel removable outlet cover. The outlet covers are removable for access to receptacles when using back-to-back power. The Electrical Trough is attached to the underside of the worksurface with ½-20 torx head screws. Electrical components for the 72' powered beams shall come as one piece on standard beams or in two pieces on the quad beams.

When hard wire power is ordered, the top raceway shall be covered by a 20-gauge formed steel cover with holes for simplex receptacles (single), thereby totally enclosing the 110 volt wiring.

The data trough shall be constructed of 16-gauge steel. The terminated end of the data cables (data jacks) can be snapped into the pre-punched holes in the data trough. Multiple data plates can also be snapped into the data tough. The customer provides data jacks and

data plates. Data troughs are bolted to the legs by ½-20 torx head, tamper-resistant screws and support the bottom of the beam door.

ABS plastic beam end caps enclosing the wires shall be standard on end of run/stand alone beams. Middle and corner middle beam assemblies will not include end caps.

Legs All "C" legs shall be available in three overall heights of 27", 29", and 38" (worksurface height). All "C" legs shall have vertical wire management capabilities. A reversible vertical wire-way shall be standard on each leg. Steel trim with liquid tight fittings shall be available for power in-feeds at the bottom of any leg. All legs can be retrofitted in the field to accommodate a power in-feed or data cabling infeed.

All "C" legs can be used as either an end leg or a shared leg. The "C" legs shall be used when connecting tables in a row. The vertical leg tube shall be 2"x 5", 14-gauge D-shaped steel tubing. The foot to which the leg tube is welded shall be 14-gauge formed steel. The nylon glide at the bottom of the toe casting can be adjusted vertically 1-1/4" with an open-faced wrench from the underside of the foot for worksurface leveling.

UL Listed The InTandem System is Listed to applicable UL Standards and requirements by Underwriters Laboratories Inc. Two of the Standards used to evaluate InTandem are UL 1286, Office Furnishings and UL 723, Standard for Test for Surface Burning Characteristics of Building Materials. The entire InTandem table system is UL Listed, not just the electrical system. The freestanding frames with casters are not included in the Listed System.

Frame Colors Legs and beam doors shall be available in four colors: BL (Black), GR (Blue Grey), WG (Warm Grey), and SA (Sand). Privacy screen brackets, divider brackets, and interior beam components available in Graphite Dark only.

Laminate choices shall be KI standard laminates.

Item 30 Obion Co Central Lab

Will consist of (14) 24x72 worksurfaces; (7) 72" stand alone beams; (7) 72" middle beams; (18) C leg assemblies 27" height; (4) quantity Trek tables, fixed height, rectangular, 42x72; must adhere to all specifications in general lab specs unless otherwise stated.

Item 31 South Fulton Lab

Will consist of (22) 24x48 worksurfaces; (7) 48" stand alone beams; (17) 48" middle beams; (24) C leg assemblies 27" height; (2) C leg assemblies (2) C leg assemblies 38" height;

BID FORM

Date:	
То:	Obion County Board of Education 316 South Third Street Union City, Tennessee 38261
From:	(Name of Bidder)
	(Address of Bidder)
	(City, State, and Zip code)
For:	Furniture Obion County Central High South Fulton High School
principa the cont	ersigned, as Bidder, hereby declares that the only person, or persons, interested in the Bid as principal or ls, is or are, named herein and that no other person than herein mentioned has any interest in this Bid or in ract to be entered into; that this Bid is made without connection with any other person, company or parties, a bid, and it is in all respects fair and in good faith without collusion or fraud.
conditio manual	der further declares that he has examined the site of the work and informed himself fully in regard to all ns pertaining to the places where the work is to be done, that he has examined the drawings and the project for the work and the Contract Documents relative to the Work to be performed and that this bid is based ereon, without exception.
Docume services	der proposes and agrees, if this Bid is accepted, to contract with the Owner in the form of contract AIA ent A101, Published by the American Institute of Architects for Contractor and Owner, furnishing thereby all abor, and materials to complete the construction of the project in full and complete accordance with the escribed, and reasonably intended requirements of the Contract Documents.
The Bid	der may list voluntary alternates on the second page of this form.
addresse	s shall be submitted in duplicate . All bids shall be enclosed in a sealed envelope. The envelope shall be ed to the owner, and identified with the words "BID ENCLOSED, FURNITURE BID, "OCCHS and SFHS e" plainly written on the face thereof.
Bids sha	all be filled in by typewriter or manually in ink.
calendaı	der, if awarded a contract, and assuming receiving a Notice of Award or a Notice to Proceed within 10 days of the bid date hereby agrees to commence work under this contract on or before the date specified nd to achieve Substantial Completion of the project on or before calendar
A	further certifies that: (One must be checked) Il specifications are met as prescribed herein. Iternate items and specs are attached and described as required herein.

The Bidder agrees that his bid may not be withdrawn for a period of 60 calendar days after the scheduled closing time for receiving bids.

BID LIST

Note: Quantities listed are for budgeting purposes, ordered quantities may be adjusted to meet the needs of the Board of Education

Item#	(Description)	Quantity	Price each	Extended Price
1.	Desk-Wood	10 ea.	\$	\$
	Alternate #1 Desk-steel		\$	\$
2.	Student Desk	25 ea.	\$	\$
3.	Vertical File	10 ea.	\$	\$
4.	Storage Cabinet	10 ea.	\$	\$
	Alternate #4 Storage cabinet-steel		\$	\$
5.	Classroom Chairs w/ book basket	236 ea.	\$	\$
6.	Pedestal Lectern	10 ea.	\$	\$
7.	Classroom computer table	10 ea.	\$	\$
8.	Classroom Chairs	20 ea.	\$	\$
9.	Teacher Chair	10 ea.	\$	\$
10.	Bookshelf-classroom	12 ea.	\$	\$
11.	Wastebasket	26 ea.	\$	\$
12.	Pencil Sharpener	10 ea.	\$	\$
13.	Projection Screen	12 ea.	\$	\$
14.	Teacher Computer Table	10 ea.	\$	\$
15.	Trophy Case	4 ea.	\$	\$
16.	Computer Station for Office	2 ea	\$	\$
17.	Coat Tree	2 ea.	\$	\$
18.	L Shape Desk	2 ea.	\$	\$
19.	Bookshelf-office	2 ea.	\$	\$
20.	Lateral File	2 ea.	\$	\$
21.	Executive Chair	2ea.	\$	\$

22. Guest Chair	6 ea.	\$	\$				
23. Steel Cabinet	2 ea.	\$	\$				
24. Interior Mat	2 ea.	\$	\$				
25. Exterior Mat	1 ea.	\$	\$				
26. Trash Can for Shop areas	8 ea.	\$	\$				
27. Trash Can for Hallways	5 ea.	\$	\$				
28. Trash can for bathrooms and laundry	9 ea .	\$	\$				
29. Work Table	84 ea.	\$	\$				
30. OCCHS computer lab	1 ea.	\$	\$				
31. SFHS computer lab	1 ea.	\$	\$				
those that appear irregular and/or inconsistent in content The Undersigned hereby affirms and states that the prices quoted herein constitute the gross total cost for the work involved in the respective items and that this cost also includes taxes, insurance, royalties, transportation charges, use of tools and equipment, superintendents, overhead, profits and other work, services, and conditions necessarily involved in the work done and the materials furnished, in accordance with the requirements of the contract. Acknowledge receipt of the following Addenda to the Contract Documents Addendum #1 date							
After Notice to Proceed is received, the Bidder will immediately begin and complete our work within the specified contract time.							
By:(signature)	Tit!	le: Date:					
Firm Name: Mailing address: (P.O. Box and/or street address) (City) (State) (Zip Code) Telephone Number:		State of	of Incorporation				

Fax Number:

ADDENDUM #1-OCCHS and SFHS furniture

Item #7- classroom computer tables-specs have been changed on this item. The type of legs on the tables were changed.